



FETHİYE KEMAL MUMCU ANADOLU LİSESİ



SOĞUKSU NATIONAL PARK

ANKARA TURKEY



FLORA OF SOĞUKSU NATIONAL PARK


Fragaria vesca

(Wild Strawberry- Yabani Çilek)

Wild strawberry is a common creeping plant that grows spontaneously in forests, fields, lawns, forest edges, and streamsides (just about anywhere). Wild strawberries bloom from April to June. As a difference it is smaller than garden strawberry.



Kingdom : *Plant*
Division : *Magnoliophyta*
Order : *Rosales*
Family : *Rosaceae*
Genus : *Fragaria*
Species : *vesca ssp. brekteata*



Rubus fruticosus

(European Blackberry- Adi Bögürtlen)

Blackberry bush is the common name for perennial species. It reveals itself next to the forests and heathlands. Some types of them grow like an ivy or with running stem on ground.




Kingdom :*Plantae*
Division :*Angiosperms*
Class :*Rosids*
Order :*Rosales*
Family :*Rosaceae*
Genus :*Rubus*
Species :*Rubus fruticosus*



Campanula ekimiana (Bellflower-Çan Çiçeği)

It got its name with the reference of its bell-shaped blossoms. It can be come across in the meadow. The blooming time of this plant is from July through September. The blossoms can be seen in violet-blue and white colors. The leaves look narrow and toothed.



Kingdom:*Plantae*
Phylum :*Angiosperms*
Class :*Asterids*
Order :*Asterales*
Family :*Campanulaceae*
Genus :*Campanula*
Species :*Campanula ekimiana*



Digitalis lamarckii

(Foxglove- Yüksük Otu)

It is an unusual plant, originating from Northern Turkey. Much shorter than the other average foxglove. It is perennial and the blooming time of this plant May to late summer. It can't grow in shaded areas so it likes sun.

Caution! All plant parts toxic if eaten.



Kingdom:*Plantae*
Phylum :*Angiosperms*
Class :*Asterids*
Order :*Lamiales*
Family :*Campanulaceae*
Genus :*Digitalis*
Species :*Digitalis lamarckii*



Sedum pallidum

(Pale Stonecrop-Dam)

It grows well-drained soils in full of sun. This plant attracts bees as well as fruit flies. It tolerates drought and heat. Because of its resistance and live between the rocks, its name is stone crop. The blooming time is from June to August.

Kingdom : *Plantae*
Phylum : *Angiosperms*
Class : *Eudicots*
Order : *Core eudicots*
Family : *Crassulaceae*
Genus : *Sedum*
Species : *Sedum Pallidum*



Anemone Conaria

(Poppy Anemone-Dağ Lalesi)

Poppy anemone is a genus of about 120 species of flowering plants in the buttercup. Its blooming time is from March to May. It is resistable plant for wind and it likes sun.



Kingdom :*Plantae*
Phylum :*Magnoliophyta*
Class :*Magnoliopsida*
Order :*Ranunculales*
Family :*Ranunculaceae*
Genus :*Anemone*
Species :*Anemone Coronaria*



(Ankara Carnation-Ankara Karanfili)

Its flowers are pink and white. Its blooming time is spring. It is resistable and dry climate plant. It doesn't require special effort to cultivate. It is endemic to Ankara.



Kingdom : *Plantae*
Division : *Magnoliophyta*
Class : *Magnoliopsida*
Order : *Caryophyllales*
Family : *Caryophyllaceae*
Genus : *Dianthus*
Species : *Dianthus ancyrensis*



Phlomis armeniaca willd

(*Phlomis Armeniaca* -Çalba)

Phlomis armeniaca is a perennial herb in the genus *Phlomis* endemic to Turkey. It's habitats are pine woods, prairie, dry calcareous rock, corn, and fallow fields. The blooming time is from June to August.



Kingdom :*Plantae*
Division :*Magnoliophyta*
Class :*Magnoliopsida*
Order :*Lamiales*
Family :*Lamiaceae*
Genus :*Phlomis*
Species :*Phlomis armeniaca* willd



Viscum album

(Mistletoe-Ökse Otu)

All mistletoes are hemi-parasites, grow on a wide range of host trees but it can kill them with heavy infestation. *Viscum* is an evergreen shrub, hemiparasitic on the branches of deciduous trees, particularly oak, chestnut, apple or black poplar.



Kingdom : *Plantae*
Division : *Magnoliophyta*
Class : *Magnoliopsida*
Order : *Santalales*
Family : *Santalaceae*
Genus : *Viscum*
Species : *Viscum album*



Crocus ancyrensis

(Ankara Crocus-Ankara Çiğdemi)

It is a herbaceous and perennial plant, because of it is endemic plant in Ankara, its name is derived from Ancyra. Their habitats are rocky soils, meadows and piny areas. The blooming time is from February to April. It is edible.



resimyukle.com : Resmin tam boyuttaki orjinal hali için ücretsiz üye olunuz.

Kingdom : *Plantae*
Division : *Magnoliophyta*
Class : *Liliopsida*
Order : *Liliales*
Family : *Iridaceae*
Genus : *Crocus*
Species : *Crocus ancyrensis*





FETHİYE KEMAL MUMCU ANADOLU LİSESİ



ALL AND MORE IS IN SOĞUKSU
NATIONAL PARK THANKS.

ANKARA TURKEY